TRUCK CAMPERS

PALOMINO

BACKPACK EDITION

HARD SIDE MAX

HS 2901



3/4 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (with Ladder): 18'4" Ext. Width: 8'2" Floor Length: 9' Wheel Well Width: 48" Ext. Height (w/ Ladder): 9'9"
Int. Height: 6'8" Dry Weight (Lbs.): 3037 LP Gas (Lbs.): 30 Cab over Bed Size: 60" X 80" Dinette Bed Size: 24"x 63"
Fresh Water (Gal.): 45 | Gray Water (Gal.): 20 | Black Water (Gal.): 20 | Center of Gravity **: 37"

HARD SIDE

HS 690



1/2 TON TRUCK W/ 5' UP TO 8' BED

Ext. Length (with Ladder): 12'9" Ext. Width: 7'2" Floor Length: 6'6" Wheel Well Width: 48" Ext. Height (w/ Ladder): 7'11"
Int. Height: 6'6" Dry Weight (Lbs.): 1561 LP Gas (Lbs.): 20 Cab over Bed Size: 60"x80" Dinette Bed Size: 28"x82"
Fresh Water (Gal.): 8 | Gray Water (Gal.): NA | Black Water (Gal.): NA | Center of Gravity **: 23"

HS 2902



3/4 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (with Ladder): 18'4" Ext. Width: 8'2" Floor Length: 9' Wheel Well Width: 48" Ext. Height (w/ Ladder): 9'9"
Int. Height: 6'8" Dry Weight (Lbs.): 3261 LP Gas (Lbs.): 30 Cab over Bed Size: 60"x 80" Dinette Bed Size: 42"x58"
Fresh Water (Gal.): 45 | Gray Water (Gal.): 20 | Black Water (Gal.): 20 | Center of Gravity **: 37"

HS 750



1/2 TON TRUCK W/ 5'6" UP TO 8' BED

Ext. Length (with Ladder): 16'5" Ext. Width: 7'2" Floor Length: 8'2" Wheel Well Width: 48" Ext. Height (w/ Ladder): 7'11"
Int. Height: 6'6" Dry Weight (Lbs.): 1870 LP Gas (Lbs.): 20 Cab over Bed Size: 60"x80" Dinette Bed Size: 32"x60"
Fresh Water (Gal.): 21 | Gray Water (Gal.): 8 | Black Water (Gal.): 8 | Center of Gravity **: 27"

HS 2910



1 TON TRUCK W/ 8' BED

Ext. Length (with Ladder): 19'3" Ext. Width: 8'2" Floor Length: 10' Wheel Well Width: 48" Ext. Height (w/ Ladder): 9'9"
Int. Height: 6'8" Dry Weight (Lbs.): 3493 LP Gas (Lbs.): 30 Cab over Bed Size: 60"x 80" Dinette Bed Size: 43" x 69"
Fresh Water (Gal.): 45 | Gray Water (Gal.): 20 | Black Water (Gal.): 20 | Center of Gravity **: 46"

HS 8801



3/4 TON TRUCK W/ 6' 6" UP TO 8' BED

Ext. Length (with Ladder): 18' Ext. Width: 8'2" Floor Length: 9' Wheel Well Width: 48" Ext. Height (w/ Ladder): 8'4"
Int. Height: 6'11" Dry Weight (Lbs.): 2460 LP Gas (Lbs.): 2-20 Cab over Bed Size: 60"x80" Dinette Bed Size: 32"x60"
Fresh Water (Gal.): 21 | Gray Water (Gal.): 7 | Black Water (Gal.): 8 | Center of Gravity **: 42"

HS 2912



1 TON TRUCK W/ 8' BED

Ext. Length (with Ladder): 20' Ext. Width: 8'2" Floor Length: 10'8" Wheel Well Width: 48" Ext. Height (w/ Ladder): 9'9"
Int. Height: 6'8" Dry Weight (Lbs.): 3572 LP Gas (Lbs.): 30 Cab over Bed Size: 60" x 80" Dinette Bed Size: 41" x 60"
Fresh Water (Gal.): 45 | Gray Water (Gal.): 20 | Black Water (Gal.): 20 | Center of Gravity **: 53"

*Palomino strongly recommends you check your trucks owners manual or contact the manufacturer for your trucks capabilities.
** The center of gravity measurement is as built. Your options and loading on the truck may adjust this measurement.

TRUCK CAMPERS

PALOMINO

BACKPACK EDITION

HARD SIDE MAX

HS 2901



3/4 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (with Ladder): **18'4"** Ext. Width: **8'2"** Floor Length: **9'** Wheel Well Width: **48"** Ext. Height (w/ Ladder): **9'9"**
Int. Height: **6'8"** Dry Weight (Lbs.): **3037** LP Gas (Lbs.): **30** Cab over Bed Size: **60" X 80"** Dinette Bed Size: **24"x 63"**
Fresh Water (Gal.): **45** | Gray Water (Gal.): **20** | Black Water (Gal.): **20** | Center of Gravity **: **37"**

HARD SIDE

HS 690



1/2 TON TRUCK W/ 5' UP TO 8' BED

Ext. Length (with Ladder): **12'9"** Ext. Width: **7'2"** Floor Length: **6'6"** Wheel Well Width: **48"** Ext. Height (w/ Ladder): **7'11"**
Int. Height: **6'6"** Dry Weight (Lbs.): **1561** LP Gas (Lbs.): **20** Cab over Bed Size: **60"x80"** Dinette Bed Size: **28"x82"**
Fresh Water (Gal.): **8** | Gray Water (Gal.): **NA** | Black Water (Gal.): **NA** | Center of Gravity **: **23"**

HS 2902



3/4 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (with Ladder): **18'4"** Ext. Width: **8'2"** Floor Length: **9'** Wheel Well Width: **48"** Ext. Height (w/ Ladder): **9'9"**
Int. Height: **6'8"** Dry Weight (Lbs.): **3261** LP Gas (Lbs.): **30** Cab over Bed Size: **60"x 80"** Dinette Bed Size: **42"x58"**
Fresh Water (Gal.): **45** | Gray Water (Gal.): **20** | Black Water (Gal.): **20** | Center of Gravity **: **37"**

HS 750



1/2 TON TRUCK W/ 5'6" UP TO 8' BED

Ext. Length (with Ladder): **16'5"** Ext. Width: **7'2"** Floor Length: **8'2"** Wheel Well Width: **48"** Ext. Height (w/ Ladder): **7'11"**
Int. Height: **6'6"** Dry Weight (Lbs.): **1870** LP Gas (Lbs.): **20** Cab over Bed Size: **60"x80"** Dinette Bed Size: **32"x60"**
Fresh Water (Gal.): **21** | Gray Water (Gal.): **8** | Black Water (Gal.): **8** | Center of Gravity **: **27"**

HS 2910



1 TON TRUCK W/ 8' BED

Ext. Length (with Ladder): **19'3"** Ext. Width: **8'2"** Floor Length: **10'** Wheel Well Width: **48"** Ext. Height (w/ Ladder): **9'9"**
Int. Height: **6'8"** Dry Weight (Lbs.): **3493** LP Gas (Lbs.): **30** Cab over Bed Size: **60"x 80"** Dinette Bed Size: **43" x 69"**
Fresh Water (Gal.): **45** | Gray Water (Gal.): **20** | Black Water (Gal.): **20** | Center of Gravity **: **46"**

HS 8801



3/4 TON TRUCK W/ 6' 6" UP TO 8' BED

Ext. Length (with Ladder): **18'** Ext. Width: **8' 2"** Floor Length: **9'** Wheel Well Width: **48"** Ext. Height (w/ Ladder): **8'4"**
Int. Height: **6'11"** Dry Weight (Lbs.): **2460** LP Gas (Lbs.): **2-20** Cab over Bed Size: **60"x80"** Dinette Bed Size: **32"x60"**
Fresh Water (Gal.): **21** | Gray Water (Gal.): **7** | Black Water (Gal.): **8** | Center of Gravity **: **42"**

HS 2912



1 TON TRUCK W/ 8' BED

Ext. Length (with Ladder): **20'** Ext. Width: **8' 2"** Floor Length: **10' 8"** Wheel Well Width: **48"** Ext. Height (w/ Ladder): **9' 9"**
Int. Height: **6' 8"** Dry Weight (Lbs.): **3572** LP Gas (Lbs.): **30** Cab over Bed Size: **60" x 80"** Dinette Bed Size: **41" x 60"**
Fresh Water (Gal.): **45** | Gray Water (Gal.): **20** | Black Water (Gal.): **20** | Center of Gravity **: **53"**

*Palomino strongly recommends you check your trucks owners manual or contact the manufacturer for your trucks capabilities.
** The center of gravity measurement is as built. Your options and loading on the truck may adjust this measurement.

SOFT SIDE TRUCK CAMPERS

SS 500



DESIGNED FOR COMPACT TRUCKS

Ext. Length (w/ Ladder): **12'8"** Ext. Width: **6'4"** Floor Length: **6'**
Wheel Well Width: **40"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1197** LP Gas (Lbs.): **20** **Center of Gravity: **22"**
Fresh (Gal.): **9** Black (Gal.): **N/A**
Bed over Cab Size: **66"x75"** Dinette Bed Size: **36"x73"**

SS 550



1/2 TON TRUCK W/5'6" UP TO 8' BED

Ext. Length (w/ Ladder): **13'5"** Ext. Width: **7'2"** Floor Length: **7'**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1594** LP Gas (Lbs.): **20** **Center of Gravity: **22"**
Fresh (Gal.): **15** Black (Gal.): **NA**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x90"**

SS 1200



1/2 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (w/ Ladder): **12'10"** Ext. Width: **7'2"** Floor Length: **8'**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1591** LP Gas (Lbs.): **20** **Center of Gravity: **39"**
Fresh (Gal.): **15** Black (Gal.): **NA**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x72"**

SS 1250



1/2 TON TRUCK 6'6" BED W/OVERHANG

Ext. Length (w/ Ladder): **14'10"** Ext. Width: **7'2"** Floor Length: **8'6"**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1795** LP Gas (Lbs.): **20** **Center of Gravity: **37"**
Fresh (Gal.): **15** Black (Gal.): **7**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x62"**

SS 1240



1/2 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (w/ Ladder): **14'10"** Ext. Width: **7'2"** Floor Length: **8'6"**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1876** LP Gas (Lbs.): **20** **Center of Gravity: **37"**
Fresh (Gal.): **15** Black (Gal.): **7**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x72"**

SS 1500



1/2 TON TRUCK W/ 8' BED

Ext. Length (w/ Ladder): **14'4"** Ext. Width: **7'2"** Floor Length: **9'6"**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1910** LP Gas (Lbs.): **30** **Center of Gravity: **45"**
Fresh (Gal.): **15** Black (Gal.): **7**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x72"**

SPECIFICATION DEFINITIONS

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs. per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. | Effective: U.S.A. FOR PRICE P / W: 2021.12.28

Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.

FOREST RIVER
A Berkshire Hathaway company.

PALOMINO
1047 East M-86 | Colon, MI 49040
P: 269.432.3271 | F: 269.432.2516
WWW.PALOMINORV.COM

***Palomino strongly recommends you check your trucks owners manual or contact the manufacturer for your trucks capabilities.**
**** The center of gravity measurement is as built. Your options and loading on the truck may adjust this measurement.**

SOFT SIDE TRUCK CAMPERS

SS 500



DESIGNED FOR COMPACT TRUCKS

Ext. Length (w/ Ladder): **12'8"** Ext. Width: **6'4"** Floor Length: **6'**
Wheel Well Width: **40"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1197** LP Gas (Lbs.): **20** **Center of Gravity : **22"**
Fresh (Gal.): **9** Black (Gal.): **N/A**
Bed over Cab Size: **66"x75"** Dinette Bed Size: **36"x73"**

SS 550



1/2 TON TRUCK W/5'6" UP TO 8' BED

Ext. Length (w/ Ladder): **13'5"** Ext. Width: **7'2"** Floor Length: **7'**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1594** LP Gas (Lbs.): **20** **Center of Gravity : **22"**
Fresh (Gal.): **15** Black (Gal.): **NA**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x90"**

SS 1200



1/2 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (w/ Ladder): **12'10"** Ext. Width: **7'2"** Floor Length: **8'**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1591** LP Gas (Lbs.): **20** **Center of Gravity : **39"**
Fresh (Gal.): **15** Black (Gal.): **NA**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x72"**

SS 1250



1/2 TON TRUCK 6'6" BED W/OVERHANG

Ext. Length (w/ Ladder): **14'10"** Ext. Width: **7'2"** Floor Length: **8'6"**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1795** LP Gas (Lbs.): **20** **Center of Gravity : **37"**
Fresh (Gal.): **15** Black (Gal.): **7**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x62"**

SS 1240



1/2 TON TRUCK W/ 6'6" UP TO 8' BED

Ext. Length (w/ Ladder): **14'10"** Ext. Width: **7'2"** Floor Length: **8'6"**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1876** LP Gas (Lbs.): **20** **Center of Gravity : **37"**
Fresh (Gal.): **15** Black (Gal.): **7**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x72"**

SS 1500



1/2 TON TRUCK W/ 8' BED

Ext. Length (w/ Ladder): **14'4"** Ext. Width: **7'2"** Floor Length: **9'6"**
Wheel Well Width: **46.5"** Ext. Height (w/ Ladder): **6'** Int. Height: **7'**
Dry Weight (Lbs.): **1910** LP Gas (Lbs.): **30** **Center of Gravity : **45"**
Fresh (Gal.): **15** Black (Gal.): **7**
Bed over Cab Size: **60"x80"** Dinette Bed Size: **36"x72"**

SPECIFICATION DEFINITIONS

GVWR (**Gross Vehicle Weight Rating**) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (**Gross Axle Weight Rating**) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (**Unloaded Vehicle Weight**)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (**Cargo Carrying Capacity**)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1920 P / W: 2021.12.20

Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.

FOREST RIVER

A Berkshire Hathaway company.

PALOMINO
1047 East M-86 | Colon, MI 49040
P: 269.432.3271 | F: 269.432.2516
WWW.PALOMINORV.COM

*Palomino strongly recommends you check your trucks owners manual or contact the manufacturer for your trucks capabilities.
** The center of gravity measurement is as built. Your options and loading on the truck may adjust this measurement.